




# GOOD QUALITY BEARINGS LIMITED



3.74 Inch | 95 Millimeter x 6.693 Inch | 170  
 Millimeter x 1.26 Inch | 32 Millimeter SKF NJ 219  
 ECJ/C3 Cylindrical Roller Bearings

Bearing No. NJ 219 ECJ/C3

NJ 219 ECJ/C3 Bearing 2D drawings and 3D CAD models

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	2.92
EAN	7316571108711
Product Group	B04144
Bore Profile	Straight
Cage Material	Steel
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - One Side
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C3-Loose
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	High Capacity   1 Rib Inner Ring   2 Rib Outer Ring   Cage on Outer Ring ID
Long Description	95MM Bore; Straight Bore Profile; 170MM Outside Diameter; 32MM Width;



## GOOD QUALITY BEARINGS LIMITED

	Steel Cage Material; RBEC 1   ISO P0; Single Row; Inner Ring - One Side Separable; No Snap Ring; Relubricatable; C3-Loose Intern
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	NJ 219 ECJ/C3
Weight / LBS	6.431
D	6.693 Inch   170 Millimeter
d	3.74 Inch   95 Millimeter
B	1.26 Inch   32 Millimeter
bore diameter:	95 mm
static load capacity:	265 kN
outside diameter:	170 mm
precision rating:	Not Rated
overall width:	32 mm
maximum rpm:	4800 RPM
flanges:	(2) Outer Ring, (1) Inner Ring
bearing material:	Steel
bore type:	Straight
cage material:	Steel
number of rows:	1
finish/coating:	Uncoated
internal clearance:	C3
closure type:	Open
ring separation:	Separable Ring
outer ring width:	32 mm
operating temperature	Maximum of +300 ° F



## GOOD QUALITY BEARINGS LIMITED

range:	
fillet radius:	2 mm
dynamic load capacity:	255 kN
series:	NJ2