



GOOD QUALITY BEARINGS LIMITED

TIMKEN MSM220BXHFATL Flange Block Bearings



MSM220BXHFATL Bearing 2D drawings and 3D CAD models

Bearing No. MSM220BXHFATL

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	304.33
EAN	0013992047779
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Round Flange Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	36 Millimeter
Relubricatable	Yes
Insert Part Number	MSM220BX
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Pilot Configuration	No Pilot
Inch - Metric	Metric
Long Description	4 Bolt Round Flange Block; 220MM Bore; 620MM Bolt Circle; 2 Piece Split; Clamp Collar Mount; Cast Iron; Cylindrical Roller Bearing; 163MM Length Thru Bore; 438.4MM Bolt Spacing; Relubricatable; Triple



GOOD QUALITY BEARINGS LIMITED

Other Features	Single Row Wide Inner Ring Medium Duty
Category	Flange Block Bearings
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.timken.com
Weight / LBS	670.34
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
D	6.417 Inch 163 Millimeter
Nominal Bolt Circle Diameter Round	24.4 Inch 620 Millimeter
d	8.661 Inch 220 Millimeter
Bolt Spacing	17.3 Inch 438.4 Millimeter
Shaft Size	220 mm
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Expansion Type
Support Type	Round Flange
Series Type	Medium Series
Bolt Size	4 x M36
Bearing - Housing - Seal	MSM220BXHATL
Bearing - Housing - Seal UPC	013992060068
Bearing UPC	013992034328
Dimension T	28.0 in
Dimension R	24.4 in
Dimension P	1.4 in
Dimension H	5.7 in
Dimension N	20.750 in
Dimension V	0.2 in



GOOD QUALITY BEARINGS LIMITED

Dimension L	10.5 in
Cr - Dynamic Load Rating	255833 lbf
Cor - Static Load Rating	374981 lbf
Maximum Speed	850 rpm
Note	This product line was formerly known as " Revolve "