



GOOD QUALITY BEARINGS LIMITED

TIMKEN MSM260BXHFATL Flange Block Bearings



MSM260BXHFATL Bearing 2D drawings and 3D CAD models

Bearing No. MSM260BXHFATL

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	262.68
EAN	0013992047977
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Round Flange Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	36 Millimeter
Relubricatable	Yes
Insert Part Number	MSM260BX
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Pilot Configuration	No Pilot
Inch - Metric	Metric
Long Description	4 Bolt Round Flange Block; 260MM Bore; 660MM Bolt Circle; 2 Piece Split; Clamp Collar Mount; Cast Iron; Cylindrical Roller Bearing; 170MM Length Thru Bore; 466.7MM Bolt Spacing; Relubricatable; Triple



GOOD QUALITY BEARINGS LIMITED

Other Features	Single Row Wide Inner Ring Medium Duty
Category	Flange Block Bearings
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.timken.com
Weight / LBS	578.6
Nominal Bolt Circle Diameter Round	26 Inch 660 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Bolt Spacing	18.4 Inch 466.7 Millimeter
d	10.236 Inch 260 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
D	6.693 Inch 170 Millimeter
Shaft Size	260 mm
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Expansion Type
Support Type	Round Flange
Series Type	Medium Series
Bolt Size	4 x M36
Bearing - Housing - Seal	MSM260BXHATL
Bearing - Housing - Seal UPC	013992060464
Bearing UPC	013992034496
Dimension T	29.0 in
Dimension R	26.0 in
Dimension P	1.5 in
Dimension H	5.9 in
Dimension N	22.375 in
Dimension V	0.2 in



GOOD QUALITY BEARINGS LIMITED

Dimension L	10.8 in
Cr - Dynamic Load Rating	304391 lbf
Cor - Static Load Rating	475921 lbf
Maximum Speed	750 rpm
Note	This product line was formerly known as " Revolve "