



GOOD QUALITY BEARINGS LIMITED

TIMKEN MSE415BRHFATL Flange Block Bearings



MSE415BRHFATL Bearing 2D drawings and 3D CAD models

Bearing No. MSE415BRHFATL

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	95.35
EAN	0013992049520
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Round Flange Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	24 Millimeter
Relubricatable	Yes
Insert Part Number	MSE415BR
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	4 Bolt Round Flange Block; 4-15/16" Bore; 16.2" Bolt Circle; 2 Piece Split; Clamp Collar Mount; Cast Iron; Cylindrical Roller Bearing; 4-1/2" Length Thru Bore; 11-1/2" Bolt Spacing



GOOD QUALITY BEARINGS LIMITED

Other Features	Single Row Wide Inner Ring Medium Duty
Category	Flange Block Bearings
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.timken.com
Weight / LBS	210.01
Cartridge Pilot Depth	0 Inch 0 Millimeter
Nominal Bolt Circle Diameter Round	16.2 Inch 412 Millimeter
d	4.938 Inch 125.425 Millimeter
D	4.5 Inch 114.3 Millimeter
Bolt Spacing	11.5 Inch 291.3 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Shaft Size	4-15/16 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Retained Type
Support Type	Round Flange
Series Type	Medium Series
Bolt Size	4 x M24
Bearing - Housing - Seal	MSE415BRHATL
Bearing - Housing - Seal UPC	013992039927
Bearing UPC	013992032690
Dimension T	18.5 in
Dimension R	16.2 in
Dimension P	1.0 in
Dimension H	4.5 in
Dimension N	13.625 in



GOOD QUALITY BEARINGS LIMITED

Dimension V	0.1 in
Dimension L	8.1 in
Cr - Dynamic Load Rating	118025 lbf
Cor - Static Load Rating	157366 lbf
Ca - Axial Load Rating	8588 lbf
Maximum Speed	1600 rpm
Note	This product line was formerly known as "Revolvo"