



GOOD QUALITY BEARINGS LIMITED



SKF SALKAC 8 M Spherical Plain Bearings - Rod Ends

Bearing No. SALKAC 8 M

SALKAC 8 M Bearing 2D drawings and 3D CAD models

Category	Spherical Plain Bearings - Rod Ends
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.03
EAN	7316577025654
Product Group	B04286
Stud Profile	Male
Mounting Thread	M8 X 1.25
Thread Direction	Left Hand
Rolling Element	Spherical Plain
Material - Outer Member	Steel
Material - Ball	Steel
Material - Liner	Bronze
Relubricatable	Yes
Enclosure	Open
Other Features	3 Piece Zinc Plated Outer
Long Description	8MM Bore; 9MM House Width; Male Stud Profile; M8 X 1.25; Left Hand Thread Direction; Spherical Plain Bearing; Steel Outer Member; Steel Ball; Bronze L
Inch - Metric	Metric
Category	Plain Bearing Spherical Rod Ends



GOOD QUALITY BEARINGS LIMITED

UNSPSC	31171508
Harmonized Tariff Code	8483.30.80.55
Noun	Bearing
Keyword 3	Rod End
Keyword String	Plain Spherical Rod End
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	SALKAC 8 M
Weight / LBS	0.071
d	0.315 Inch 8 Millimeter
Housing Width	0.354 Inch 9 Millimeter
Ball Width	0.472 Inch 12 Millimeter
bore diameter:	8 mm
ball material:	Steel
misalignment angle:	14 °
race material:	Bronze
shank thread length:	25 mm
radial static load capacity:	8 kN
rod end type:	Male Threaded
operating temperature range:	-30 to +180 ° F
shank thread size:	M8
head diameter:	25 mm
thread direction:	Left Hand
head width:	9 mm
grade:	Commercial/Industrial
ball width:	12 mm
lubrication type:	With Lubrication Fitting
length to ball center:	42 mm
housing material:	Zinc-Plated Steel
standards met:	ISO 12240-4:1998, DIN 3405:1986
d	8 mm
d ₂ max.	25 mm



GOOD QUALITY BEARINGS LIMITED

B	12 mm
G	M 8
C ₁ max.	9.5 mm
h	42 mm
	14 °
d _k	15.8 mm
l ₁ min.	25 mm
l ₂ max.	56 mm
r ₁ min.	0.3 mm
Basic dynamic load rating C	7.2 kN
Basic static load rating C ₀	8 kN
Specific dynamic load factor K	50 N/mm ²
Material constant K _M	330
Mass rod end	0.032 kg